



专注 · 专心 · 专业



浙江林耐流体科技有限公司

ZHEJIANG LINNAI FLUID TECHNOLOGY CO., LTD

电话/Tel: 0577-86172117

邮箱/E-mail: zjlinnai@cnlinnai.com

地址/Add: 浙江省温州市温州大道210号

210 Wenzhou Avenue, Wenzhou City, Zhejiang Province

上海林耐流体设备有限公司

SHANGHAI LINNAI FLUID EQUIPMENT CO., LTD

传真/Fax: 0577-86178163

邮箱/E-mail: shlinnai@cnlinnai.com

地址/Add: 上海市奉贤区新奉公路4498号

4498 Xinfeng Road, Fengxian District, Shanghai



www.cnlinnai.com

专业生产流体连接件
PROFESSIONAL PRODUCTION OF
FLUID CONNECTORS



扫码进入微信小程序



ENTERPRISE PRODUCTS 企业产品

库存充足
Adequate stock

非标定制
Custom-made

质量稳定
Stable quality




HYDRAULIC HOSE SERIES

液压胶管系列




01

专业生产流体连接件



1SN一层钢丝编织软管 P12
One Wire Braid Hose
(SAE 100 R1AT/EN 853 1SN)



2SN二层钢丝编织软管 P12
Two Wire Braid Hose
(SAE100 R2AT/EN 853 2SN)



4SP四层钢丝缠绕软管 P13
Wire Spiral Hose
(GB/T 10544 4SP-EN 856 4SP)



4SH四层钢丝缠绕软管 P13
Wire Spiral Hose
(GB/T 10544 4SH-EN 856 4SH)



R12四层钢丝缠绕软管 P14
Wire Spiral Hose
(GB/T 10544 R12-SAE 100 R12-EN 856 R12)



R13六层钢丝缠绕软管 P14
Wire Spiral Hose
(GB/T 10544 R13-SAE 100 R13-EN 856 R13)



R15六层钢丝缠绕软管 P15
Wire Spiral Hose
(GB/T 10544 R15-SAE 100 R15)



R7树脂软管 P15
Two Polyester Braid Hose
(SAE 100 R7-EN 855 R7)



R6一层织物编织软管 P16
One Wire Braid-Textile Cover Hose
(SAE100 R6)



铁氟龙软管 P16
PTFE Hose

HYDRAULIC HOSE FITTING

胶管接头系列



专业生产流体连接件

一体式软管接头
ONE PIECE FITTING



10411Y P17
公制外螺纹24°内锥面
轻系列
METRIC MALE 24°
CONE SEAT L.T. DIN 3853



20511Y-T P22
公制内螺纹24°锥带O形圈
重系列
METRIC FEMALE 24°
CONE O-RING H.T.DIN3865



22641Y P26
45°英管内螺纹60°外锥面
45° BSP FEMALE 60° CONE



26791Y P28
90°美制JIC内螺纹74°
内锥面
90° JIC FEMALE 74° CONE
SEAT



87691Y P31
90° SAE 法兰 6000 PSI
90° SAE FLANGE 6000 PSI



20411Y-T P18
公制内螺纹24°锥带O形圈
轻系列
METRIC FEMALE 24°
CONE O-RING L.T.DIN 3865



20541Y-T P23
45°公制内螺纹24°锥带O形圈
重系列
45° METRIC FEMALE 24°
CONE O-RING H.T.DIN 3865



22691Y P26
90°英管内螺纹60°外锥面
90° BSP FEMALE 60° CONE



87311Y P29
SAE 法兰 3000 PSI
SAE FLANGE 3000 PSI



87641Y P31
45° SAE 法兰 6000 PSI
45° SAE FLANGE 6000 PSI



20441Y-T P19
45°公制内螺纹24°锥带O形圈
轻系列
45° METRIC FEMALE 24°
CONE O-RING L.T.DIN 3865



20591Y-T P24
90°公制内螺纹24°锥带O形圈
重系列
90° METRIC FEMALE 24°
CONE O-RING H.T.DIN 3865



16711Y P27
美制JIC外螺纹74°外锥面
JIC MALE 74° CONE



87341Y P29
45° SAE 法兰 3000 PSI
45° SAE FLANGE 3000 PSI



20491Y-T P20
90°公制内螺纹24°锥带
O形圈轻系列
90° METRIC FEMALE 24° CONE
O- RING L.T.ISO 12151-2—DIN 3865



12611Y P25
英管外螺纹60°内锥面
BSP MALE 60° CONE SEAT



26711Y P27
美制JIC内螺纹74°内锥面
JIC FEMALE 74° CONE SEAT



87391Y P30
90° SAE 法兰 3000 PSI
90° SAE FLANGE 3000 PSI



套筒
FERRULE



00110-A P32
SAE 100 R1AT/EN 853 1SN软管套筒
FERRULE FOR SAE 100 R1AT/EN 853 1SN HOSE



00210 P33
SAE 100 R2AT/DIN 20022 2SN软管套筒
FERRULE FOR SAE 100 R2AT/DIN 20022 2SN HOSE



00621 P35
GB/T 10544 R13/SAE 100 R13/EN 856 R13
软管剥内外胶套筒
INTERLOCK FERRULE FOR GB/T 10544 R13/SAE
100 R13/EN 856 R13 HOSE



00018 P36
SAE 100 R7软管套筒
FERRULE FOR SAE 100 R7 HOSE



00110 P32
SAE 100 R1AT/EN 853 1SN软管套筒
FERRULE FOR SAE 100 R1AT/EN 853 1SN HOSE



00310 P34
SAE 100 R2AT/EN 853 2SN软管套筒
FERRULE FOR SAE 100 R2AT/EN 853 2SN HOSE



00401 P35
4SH、R12/32
软管套筒
FERRULE FOR 4SH、R12/32 HOSE



00TF0 P36
铁氟龙套筒
FERRULE FOR TEFLON HOSE



00200 P33
SAE 100 R2AT/EN 853 2SN软管套筒
FERRULE FOR SAE 100 R2AT/EN 853 2SN HOSE



00400 P34
4SP、4SH/12-16、R12/06-16软管套筒
FERRULE FOR 4SP、4SH / 10-16、R12/06-16 HOSE



01400 P35
R12/20-24
软管套筒
FERRULE FOR R12/20-24 HOSE

公制螺纹胶管接头
METRIC THREADED RUBBER HOSE FITTING

公制螺纹胶管接头

Metric Threaded Rubber Hose Fitting



公制螺纹胶管接头
METRIC THREADED RUBBER HOSE FITTING

公制螺纹胶管接头

Metric Threaded Rubber Hose Fitting

英制螺纹胶管接头
INCH THREADED RUBBER HOSE FITTING美制螺纹胶管接头
JIC&ORFS&SAE THREAD FITTING

SAE 法兰胶管接头
SAE FLANGE HOSE FITTING87311 P81
SAE 法兰 3000 PSI
SAE FLANGE 3000 PSI
ISO 12151-3—SAE J51687641 P84
45°SAE 法兰 6000 PSI
45° SAE FLANGE 6000 PSI
ISO 12151-3—SAE J51687343 P95
45°SAE 法兰 3000 PSI
45° SAE FLANGE 3000 PSI87341 P81
45°SAE 法兰 3000 PSI
45° SAE FLANGE 3000 PSI
ISO 12151-3—SAE J51687691 P84
90°SAE 法兰 6000 PSI
90° SAE FLANGE 6000 PSI
ISO 12151-3—SAE J51687393 P95
90°SAE 法兰 3000 PSI
90° SAE FLANGE 3000 PSI87391 P82
90°SAE 法兰 3000 PSI
90° SAE FLANGE 3000 PSI
ISO 12151-3—SAE J51687313 P94
SAE 法兰 3000 PSI
SAE FLANGE 3000 PSI
ISO 12151-3—SAE J51687643 P96
45°SAE 法兰 6000 PSI
45° SAE FLANGE 6000 PSI87611 P83
SAE 法兰 6000 PSI
SAE FLANGE 6000 PSI
ISO 12151-3—SAE J51687613 P94
SAE 法兰 6000 PSI
SAE FLANGE 6000 PSI
ISO 12151-3—SAE J51687693 P96
90°SAE 法兰 6000 PSI
90° SAE FLANGE 6000 PSI70011 P87
公制铰接体
METRIC BANJO DIN 764290011 P89
双面连接芯
DOUBLE CONNECTOR13010-SP P97
英锥管外螺纹
BSPT MALE16710 P99
美制JIC外螺纹74°外锥面
JIC MALE 74° CONE700M P87
公制铰接螺栓
METRIC BOLT DIN 764390012 P89
双面连接芯
DOUBLE CONNECTOR15610 P97
布锥管外螺纹
NPT MALE26710 P99
美制JIC内螺纹74°内锥面
JIC FEMALE 74° CONE SEAT72011 P88
英制铰接体
BSPP BANJO90013 P97
双面连接芯
DOUBLE CONNECTOR12610 P98
英管外螺纹60°内锥面
BSP MALE 60° CONE SEAT720B P88
英制铰接螺栓
BSPP BOLT20011-T P77
公制内螺纹高压水管接头
METRIC FEMALE WATERWASH
INSERTS22610 P98
英管内螺纹60°外锥面
BSP FEMALE 60° CONE其他形式胶管接头
OTHER FORMS OF RUBBER HOSE FITTING

ADAPTORS SERIES

过渡接头系列

03

专业生产流体连接件



LINNAI
林耐



1E P102
公制外螺纹O形圈
平面密封
METRIC MALE O-RING



1EH P104
公制外螺纹O形圈平面密封/
公制外螺纹ISO 6149-2
METRIC MALE O-RING /
METRIC MALE ISO 6149-2



1E9 P102
90°公制外螺纹O形圈
平面密封
90°METRIC MALE O-RING



1EH9-OG P104
90°公制外螺纹O形圈平面密封/公制
外螺纹可调向柱端重系列ISO 6149-2
90°ELBOW METRIC MALE O-RING /
METRIC MALE ADJUSTABLE STUDEND
S-SERIES ISO 6149-2



AE P103
公制外螺纹O形圈平面
密封三通接头
METRIC MALE O-RING TEE



1EL P105
公制外螺纹O形圈平面密封
/公制外螺纹组合垫圈
METRIC MALE O-RING/METRIC
MALE WITH BONDED SEAL



2E9 P103
90°弯公制螺纹O形圈
平面密封
90°ELBOW METRIC O-RING



2WE P120
焊接管/公制内螺纹O形圈
平面密封
BUTT-WELD TUBE/METRIC
FEMALE O-RING

LINNAI
林耐

O型圈平面密封
O-RING FLAT SEAL

公制螺纹转公制螺纹

Metric Thread To Metric Thread

DIN卡套接头 DIN FERRULE CONNECTOR



DIN卡套接头 DIN FERRULE CONNECTOR

公制螺纹转公制螺纹

Metric Thread To Metric Thread

74°锥接头
74 ° CONE JOINT公制螺纹转BSPP螺纹
METRIC THREAD TO BSPP THREAD公制螺纹转BSPT螺纹
METRIC THREAD TO BSPT THREAD

公制螺纹转美制螺纹
METRIC THREAD TO NPT/JIC THREAD



BSPB螺纹
BSPB THREAD



BSPP螺纹

BSPP THREAD

5B P183
英管外螺纹60°内锥或六角端面用
组合垫密封英管内螺纹ISO 1179
BSP MALE DOUBLE USE FOR 60°
CONE SEAT OR BONDED SEAL
/ BSP FEMALE ISO 1179

5B-WD P187
英管外螺纹胶垫密封
/英管内螺纹ISO 1179
BSP MALE CAPTIVE SEALBSP
FEMALE ISO 1179

5B9 P184
90°弯英管外螺纹60°内锥
/英管内螺纹ISO 1179
90°ELBOW BSP MALE 60°SEAT
/BSP FEMALE ISO 1179

2B-G P188
英管螺纹60°内锥
/英管内螺纹表接头
BSP MALE 60° SEAT/BSP FEMALE
PRESSURE GAUGE CONNECTORS

7B P184
英管内螺纹ISO 1179
BSP FEMALE ISO 1179

7B9-PK P185
90°英管内螺纹ISO 1179
90°BSP FEMALE ISO 1179

GB-PK P186
英管内螺纹ISO 1179三通
BSP FEMALE ISO 1179 TEE

BSPP螺纹转BSPT螺纹

BSPP THREAD TO BSPT THREAD

1BT-SP P169
英管外螺纹60°内锥
/英锥管外螺纹
ELBOW BSPP MALE 60°SEAT
/BSPT MALE

7TB-S P185
英锥管内螺纹
/英管内螺纹60°外锥
BSPT FEMALE BSP
FEMALE 60°CONE

1BT4-SP P170
45°弯英管外螺纹60°内锥
/英锥管外螺纹
45°ELBOW BSPP MALE 60°
SEAT / BSPT MALE

5BT P188
英管外螺纹60°内锥或六角端面
用组合垫密封/英锥管内螺纹
BSP MALE DOUBLE USE FOR 60°
CONE SEATOR BONDED SEAL
/ BSPT FEMALE

1BT9-SP P171
90°弯英管外螺纹60°内锥
/英锥管外螺纹
90°ELBOW BSPP MALE 60°
SEAT / BSPT MALE

2TB-SP P181
英锥管外螺纹
/英管内螺纹60°外锥
BSPT MALE/BSP
FEMALE 60°CONE

2TB9-SP P181
90°弯英锥管外螺纹
/英管内螺纹60°外锥
90°ELBOW BSPT MALE/BSP
FEMALE 60°CONE



BSPT螺纹

BSPT THREAD

1T-SP P189
英锥管外螺纹
BSPT MALE

5T9-SP P191
90°弯英锥管外螺纹
/英锥管内螺纹
90°ELBOW BSPT MALE
/ BSPT FEMALE

1T9-SP P189
90°弯英锥管外螺纹
90° ELBOW BSPT MALE

7T P192
英锥管内螺纹
BSPT FEMALE

4T-SP P190
英锥管外螺纹堵头
BSPT MALE PLUG

GT-PK P193
英锥管内螺纹三通
BSPT FEMALE TEE

4TN P190
英锥管外螺纹内六角堵头
BSPT MALE HOLLOW
HEX PLUG

7T9-PK P192
90°弯英锥管内螺纹
90°ELBOW BSPT FEMALE

5T-SP P191
英锥管外螺纹/英锥管内螺纹
BSPT MALE / BSPT FEMALE

日式英制螺纹

JIS GAS THREAD

1S P158
日本英管外螺纹60°外锥
JIS GAS MALE 60°CONE

1ST-SP P160
日本英管外螺纹60°外锥
/英锥管外螺纹
JIS GAS MALE 60°CONE
/BSPT MALE

4S P158
日本英管外螺纹60°外锥堵头
JIS GAS MALE 60°CONE

1ST9-SP P161
90°弯日本英管外螺纹60°
外锥/英锥管外螺纹
90°ELBOW JIS GAS MALE
60°CONE / BSPT MALE

6S P158
日本英管外螺纹60°外锥
过板接头
JIS GAS MALE 60°CONE
BULKHEAD

1SG P159
日本英管外螺纹60°外锥
/英管外螺纹O形圈
JIS GAS MALE 60°CONE
/BSPP MALE O-RING

1SG9-OG P159
90°弯日本英管外螺纹60°外锥
/英管外螺纹O形圈可调向柱端
90°ELBOW JIS GAS MALE 60°
CONE /BSPP MALE O-RING
ADJUSTABLE STUD END

英制螺纹转美制螺纹 BSP THREAD TO NPT/JIC THREAD



NPT螺纹 NPT THREAD



1BN P172
英管外螺纹60°内锥或六角端面用组合垫密封
美制布锥管外螺纹
BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/NPT MALE



1BN9 P173
90°弯英管外螺纹60°内锥美制布锥管外螺纹
90°ELBOW BSP MALE
DOUBLE USE FOR 60° NPT MALE



1BJ P175
英管外螺纹60°内锥或六角端面用组合垫密封/美制JIC外螺纹74°外锥
BSP MALE DOUBLE USE FOR 60° CONE/SEAT OR BONDED SEAL /JIC MALE 74°CONE



2BJ-WD P179
英管外螺纹胶垫密封/美制JIC内螺纹74°内锥
BSP MALE CAPTIVE SEAL / JIC FEMALE 74°SEAT



2NB P180
布锥管外螺纹/英管内螺纹60°外锥
NPT MALE/BSP FEMALE 60°CONE



2NB9 P180
90°弯布锥管外螺纹/英管内螺纹60°外锥
90°ELBOW NPT MALE /BSP FEMALE 60°CONE



5BN P186
英管外螺纹60°内锥或六角端面用组合垫密封/美制布锥管内螺纹
BSP MALE DOUBLE USE FOR 60°CONE SEAT OR BONDED SEAL / NPT FEMALE



5GN P201
英管外螺纹O形圈/美制布锥管内螺纹
BSP MALE O-RING / NPT FEMALE



1JT-SP P217
美制JIC外螺纹74°外锥/英锥管外螺纹
JIC MALE 74°CONE / BSPT MALE



1JT9-SP P218
90°弯美制JIC外螺纹74°外锥/英锥管外螺纹
90° ELBOW JIC MALE 74°CONE /BSPT MALE



2TJ-SP P219
英锥管外螺纹/美制JIC内螺纹74°内锥
BSPT MALE /JIC FEMALE 74°SEAT



1JG P223
美制JIC外螺纹74°外锥/英管外螺纹O形圈
JIC MALE 74°CONE BSPP MALE O-RING



1JG9-OG P224
90°弯美制JIC外螺纹74°外锥/英管外螺纹O形圈
90° ELBOW JIC MALE 74°CONE /BSPP MALE O-RING



AJGJ-OG P225
JIC外螺纹74°外锥/英管外螺纹O形圈分支三通
90°ELBOW JIC MALE 74° CONE /BSPP MALE O-RING BRANCH TEE



AJJG-OG P225
JIC外螺纹74°外锥/英管外螺纹O形圈主支三通
90°ELBOW JIC MALE 74° CONE /BSPP MALE O-RING RUN TEE



1JB-WD P226
JIC外螺纹74°外锥/英管外螺纹胶垫密封
JIC MALE 74°CONE /BSPP MALE CAPTIVE SEAL



1N9 P193
90°弯布锥管外螺纹
90°ELBOW NPT MALE



5N P196
布锥管外螺纹/布锥管内螺纹
NPT MALE / NPT FEMALE



7N P198
美制布锥管内螺纹
NPT FEMALE



1N P194
美制布锥管外螺纹
NPT MALE



5N9 P197
90°弯布锥管外螺纹/布锥管内螺纹
90°ELBOW NPT MALE / NPT FEMALE



7N9-PK P199
90°弯美制布锥管内螺纹
90°ELBOW NPT FEMALE



4N P195
美制布锥管外螺纹堵头
NPT MALE PLUG



JN P197
布锥管内螺纹/布锥管外螺纹三通
NPT FEMALE / NPT MALE BRANCH TEE



GN-PK P199
美制布锥管内螺纹三通
NPT FEMALE TEE



4NN P195
美布锥管外螺纹内六角堵头
NPT MALE HOLLOW HEX PLUG



HN P198
美制布锥管内螺纹/布锥管外螺纹主支三通
NPT FEMALE / NPT MALE RUN TEE

JIC螺纹 JIC THREAD



ORFS螺纹 ORFS THREAD



1J P202
美制JIC外螺纹74°外锥
JIC MALE 74° CONE



1J9 P203
90°弯美制JIC外螺纹74°外锥
90° ELBOW JIC MALE 74° CONE



AJ P203
美制JIC外螺纹74°外锥三通
JIC MALE 74° CONE TEE



2J P204
美制JIC外螺纹74°外锥
/JIC内螺纹74°内锥
JIC MALE 74° CONE
/JIC FEMALE 74° SEAT



2J9 P205
90°弯美制JIC外螺纹74°外锥
/JIC内螺纹74°内锥
90° ELBOW JIC MALE 74° CONE
/JIC FEMALE 74° SEAT



5J-S P206
美制JIC外螺纹
/美制JIC内螺纹
JIC MALE/JIC FEMALE



BJ P207
美制JIC外螺纹74°外锥/美制
JIC内螺纹74°内锥分支三通
JIC MALE 74° CONE / JIC FEMALE
BRANCH TEE



CJ P207
美制JIC外螺纹74°外锥/美制
JIC内螺纹74°内锥主支三通
JIC MALE 74° CONE / JIC FEMALE
74° SEAT RUN TEE



DJ P208
美制JIC内螺纹74°内锥三通
JJIC FEMALE 74° SEAT TEE



2WJ P208
焊接管/美制JIC内螺纹74°内锥
BUTT-WELD TUBE
/JIC FEMALE 74° SEAT



3J P209
美制JIC内螺纹74°内锥
JIC FEMALE 74° SEAT



4J P209
美制JIC外螺纹74°外锥堵头
JIC MALE 74° CONE PLUG



9J P210
美制JIC内螺纹74°内锥堵头
JIC FEMALE 74° SEAT PLUG



9J-CAP P210
JIC 74°内螺纹堵头
JIC 74° FEMALE PLUG



6J P211
美制JIC外螺纹74°外锥过板接头
JIC MALE 74° CONE BULKHEAD



6J9 P211
90°弯美制JIC外螺纹
74°外锥过板接头
90° ELBOW JIC MALE 74°
CONE BULKHEAD



NB200 P228
美制JIC扩口管接头螺母
JIC FLARE TUBE END NUT



NB300 P229
JIC英制管衬套
JIC INCH SLEEVE



NB500 P229
JIC公制管衬套
JIC METRIC SLEEVE



1F P230
美制ORFS外螺纹O形圈
平面密封
ORFS MALE O-RING



1F9 P230
90°弯美制ORFS外螺纹O形
圈平面密封
90° ELBOW ORFS MALE
O-RING



2F P231
美制ORFS外螺纹O形圈平面
密封/ORFS内螺纹
ORFS MALE O-RING
/ ORFS FEMALE



2F9 P232
90°弯美制ORFS外螺纹O形
圈平面密封/ORFS内螺纹
90° ELBOW ORFS MALE
O-RING / ORFS FEMALE



AF P232
美制ORFS外螺纹O形圈平面
密封三通
ORFS MALE O-RING TEE



CF P233
美制ORFS外螺纹O形圈
平面密封美制ORFS内螺
纹平面主支三通
ORFS MALE O-RING
/ORFS FEMALE RUN TEE



3F P233
美制ORFS内螺纹
ORFS FEMALE



4F P234
美制ORFS外螺纹
O形圈平面密封堵头
ORFS MALE O-RING PLUG



9F P234
美制ORFS内螺纹堵头
ORFS FEMALE PLUG



6F P235
美制ORFS外螺纹
O形圈平面密封堵头
ORFS MALE O-RING
BULKHEAD



8F P235
美制ORFS锁母
ORFS LOCK NUT



1FO P236
美制ORFS外螺纹O形圈平面
密封/美制SAE外螺纹带O形
圈重系列ISO 11926-2
ORFS MALE O-RING/SAE
O-RING BOSS S-SERIES
ISO 11926-2



1FO9-OG P237
90°弯美制ORFS外螺纹O形圈
平面密封/美制SAE外螺纹带O
形圈重系列ISO 11926-2
90° ELBOW ORFS MALE O-RING
SAE O-RING BOSS S-SERIES
ISO 11926-2



AFFO-OG P238
美制ORFS外螺纹O形圈平面
密封/美制SAE外螺纹带O形圈
重系列ISO 11926-2主支三通
ORFS MALE O-RING / SAE
O-RING BOSS S-SERIES ISO
11926-2 RUN TEE



AFOF-OG P238
美制ORFS外螺纹O形圈平面
密封/美制SAE外螺纹带O形圈
重系列ISO 11926-2分支三通
ORFS MALE O-RING / SAE
O-RING BOSS S-SERIES ISO
11926-2 BRANCH TEE



2OF P239
美制SAE外螺纹带O形圈
重系列ISO 11926-2
/ORFS内螺纹
SAE O-RING BOSS
S-SERIES ISO 11926-2
/ ORFS FEMALE



2OF9-OG P239
90°弯美制SAE外螺纹带O形
圈重系列ISO 11926-2
/ORFS内螺纹
90° ELBOW SAE O-RING BOSS
S-SERIES ISO 11926-2
/ ORFS FEMALE



NB200-F P240
ORFS螺母
ORFS TUBE END NUT



NB300-F P240
ORFS英制管衬套
ORFS INCH SLEEVE



NB500-F P240
ORFS公制管衬套
ORFS METRIC SLEEVE

其他美制螺纹
OTHER NPT/JIC/SAE THREAD ADAPTORS



其他美制螺纹
OTHER NPT/JIC/SAE THREAD ADAPTORS



1CFL, 1DFL P243
公制螺纹卡套式/轻系列
法兰ISO 6162-1
METRIC MALE BITE TYPE
/L-SERIES FLANGE ISO
6162-1



1CFL9, 1DFL9 P243
90°弯公制螺纹卡套式
/轻系列法兰ISO 6162-1
90°ELBOW METRIC MALE BITE
TYPE / L-SERIES FLANGE
ISO 6162-1



1DFS P244
公制螺纹卡套式
/重系列法兰ISO 6162-2
METRIC MALE BITE TYPE
H-SERIES FLANGE ISO
6162-2



1DFS9 P244
90°弯公制螺纹卡套式
/重系列法兰ISO 6162-2
90°ELBOW METRIC MALE
BITE TYPE/ H-SERIES FLANGE
ISO 6162-2



1JFL P245
美制JIC外螺纹74°外锥
/轻系列法兰ISO 6162
JIC MALE 74°CONE/L-SERIES
FLANGE ISO 6162-1



1JFL9 P245
90°弯美制JIC外螺纹74°外
锥/轻系列法兰ISO 6162-1
90°ELBOW JIC MALE 74°CONE
/L-SERIES FLANGE ISO 6162-1



1JFS P246
美制JIC外螺纹74°外锥
/重系列法兰ISO 6162-2
JIC MALE 74°CONE/S-SERIES
FLANGE ISO 6162-2



1JFS9 P246
90°弯美制JIC外螺纹74°外锥
/重系列法兰ISO 6162-2
90°ELBOW JIC MALE CONE
/S-SERIES FLANGE ISO 6162-2



1FSW P247
重系列法兰ISO 6162-2
/焊接管
S-SERIES FLANGE ISO
6162-2/ WELD TUBE



1FLW P247
轻系列法兰ISO 6162-1
/焊接管
L-SERIES FLANGE ISO 6162-1
/ WELD TUBE



FL P248
ISO 6162-1-SAE J518
轻系列对开法兰夹
ISO 6162-1-SAE J518 L-SERIES
SPLIT FLANGE CLAMPS



FS P248
ISO 6162-2-SAE J518
重系列对开法兰夹
ISO 6162-2-SAE J518S-SERIES
SPLIT FLANGE CLAMPS



FL-W P249
ISO 6162-1—SAE J518
轻系列整体法兰夹
ISO 6162-1-SAE J518 L-SERIES
WHOLE FLANGE CLAMPS



FS-W P249
ISO 6162-2 —SAE J518
重系列整体法兰夹
ISO 6162-2-SAE J518 S-SERIES
WHOLE FLANGE CLAMPS



4FL P250
ISO 6162-1轻系列法兰
堵头
ISO 6162-1 L-SERIES FLANGE
PLUG



4FS P250
ISO 6162-2重系列法兰
堵头
ISO 6162-2 S-SERIES
FLANGE PLUG



4FL-M P251
ISO 6162-1轻系列平面
法兰堵头
ISO 6162-1 L-SERIES
FLANGE PLUG



4FS-M P251
ISO 6162-2重系列平面
法兰堵头
ISO 6162-2 S-SERIES
FLANGE PLUG

售后服务和质量保证承诺

一、售前服务

做到技术与销售的无缝对接服务，让用户的每一次采购都有服务的体验。

- ①进行采购前产品技术沟通和交流，主动给予建议。
- ②在进行产品型号选择时考虑是否成本最低化，效率最大化。
- ③不能达到使用要求时，根据客户的特殊要求，安排设计师合理改善。

二、售中服务

尊重每位用户；给用户一份轻松，放心的整体价值服务。

- ①进行性价比：比价格，比质量，比服务，反思是否有不做到位的地方。
- ②在合作过程中，依照合同，保质保量准时交货，随时保持与用户联系。
- ③生产期间，相关技术人员可来我司进行产品监造和检验，同时，我司会提供该产品的结构图及详细文件资料，来做监造文件。
- ④使用定做的产品，可协商专业技术人员亲临现场指导。
- ⑤我公司在发货前以电话进行产品型号、规格、数量、件数的确认。

三、售后服务

完善的服务铸就完美的企业让客户无后顾之忧。

- ①按合同要求提供产品的合格证、生产许可证、检验报告、安装说明书等。
- ②顾客在验收产品过程中，如出现与合同要求不符时，我司接到顾客通知后两小时内给予处理。
- ③我司提供十二个月的产品质保期，时间从验收合格之日起计算。
- ④在正确安装和使用下，出现产品质量问题，本公司将负责到底。

四、包修包换承诺

- ①在正常的储运、安装、保养、使用条件下，因产品的质量不能正常使用时，提供三保四包：保质、保量、保及时、包修、包换、包退、包损失。
- ②在接到质量信息反馈时，将在48小时内提出处理意见及解决方案。
- ③可根据用户需求协商提供备品、备件和安装、调试、维修服务。

以上四点是本公司对售后服务的承诺。竭诚欢迎广大用户指导修正，请提出宝贵意见，参照改进。真诚希望我们之间合作愉快。